# #10/35 Anchoring Epoxy - Part A

Version 1 pg. 1

#### SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

**1.1 Trade Name (as labeled):** #10/35 Anchoring Epoxy Part A

Synonyms: N/A CAS No: Mixture

1.2 Product Use:Epoxy bonding gel1.3 Company Name:CPR Products, Inc.

Company Address: 1315 W. Lark Industrial Dr.
Company Address Cont: St. Louis, MO 63026
Business Phone: (636) 717-0666
Website: www.cpr-products.com

1.4 Emergency Telephone Number: Infotrac: (800) 535-5053

Date of Last Revision: April 30, 2015
Date of Current Revision: July 1, 2018

### **SECTION 2 – HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW:** This product is a white gelled liquid with a characteristic odor.

Health Hazards: May cause skin and eye irritation. Contact with skin may cause allergic reaction.

Flammability Hazards: This product is a non-flammable liquid.

Reactivity Hazards: None.

<u>Environmental Hazards:</u> The environmental effects of this product have not been investigated, however release may cause long term adverse environmental effects.

nowever release may eause long term adverse environmental ene

US DOT Symbols: Not Regulated

**(!)(±)** 

**EU and GHS Symbols:** 

Signal Word: Warning

### 2.1 EU Labeling and Classification:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

# **EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC:** Index Number:

500-033-5 is listed in Annex I 603-074-00-8

215-279-6 is not listed in Annex I

Substances not listed either individually or in group entries must be self classified.

Components Contributing to Classification: Bisphenol A Diglycidyl Ether Resin, Calcium

Carbonate

2.2 Label Elements:

**GHS Hazard Classifications**: Skin Irritation Category 2
Skin Sensitization Category 1

**Response Statements:** 

# #10/35 Anchoring Epoxy - Part A

Version 1 pg. 2

Eye Irritant Category 2

Chronic Aquatic Toxicity Category 2

Hazard Statements: H315 Causes skin irritation

H317 May cause an allergic skin reaction H319 Causes serious eye irritation H411 Toxic to aquatic life with long lasting

effects

**Precautionary Statements:** P280 Wear protective gloves/eye

protection/face protection.

P264 Wash thoroughly after handling.

P261 Avoid breathing

dust/fume/gas/mist/vapours/spray.

P272 Contaminated clothing should not be

allowed out of the workplace.

P273 Avoid release to the environment.
P302+P352 IF ON SKIN: Wash with plenty of

vater.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical

advice/attention.

P337+P311 If eye irritation persists: Get

medical advice/attention.

P362+P364 Take off contaminated clothing and

wash it before reuse. P391 Collect spillage.

Storage Statements: P405 Store locked up.

**Disposal Statements:** P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

## 2.3 Health Hazards or Risks From Exposure:

### **Symptoms of Overexposure by Route of Exposure:**

The most significant routes of overexposure for this product are by contact with skin or eyes. The symptoms of overexposure are described in the following paragraphs.

#### Acute:

Inhalation: May cause respiratory tract irritation. May cause headaches, drowsiness, or dizziness.

Skin Contact: May be irritating to skin. Contact with skin may cause allergic reaction.

Eye Contact: May cause irritation to the eyes.

Ingestion: May be harmful if swallowed. May cause nausea or diarrhea.

Chronic: Not known.

Target Organs:

Acute: Skin, Eyes
Chronic: Not known.

#### SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

# #10/35 Anchoring Epoxy - Part A

Version 1 pg. 3

Hazardous Ingredients	WT%	CAS No.	EINECS No.	Hazard Classification
Calcium Carbonate	50-60%		215-279-6	Skin Irrit. 3, Eye Irrit. 2B
Bisphenol A Diglycidyl Ether	40 45%	25068-38-6	500-033-5	Skin Irrit. 2, Skin Sens. 1, Eye Irrit. 2, Aquatic
Resin	40-45%	25000-50-0	300-033-3	Chronic 2
Palance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toying or				

Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

**Note:** All WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250:2000

#### **SECTION 4 – FIRST AID MEASURES**

### 4.1 Description of First Aid Measures:

**Eye Contact:** If product enters the eyes, flush with plenty of water or eye wash

solution for several minutes. Remove contacts if present and easy to

do. Seek medical attention if irritation persists.

**Skin Contact:** Wash skin thoroughly with soap and water after handling. Seek medical

attention if irritation develops and persists.

**Inhalation:** If breathing becomes difficult, remove victim to fresh air. If necessary,

use artificial respiration to support vital functions. Seek medical

attention.

**Ingestion:** If product is swallowed, call physician or poison center immediately. If

professional advice is not available, do not induce vomiting. Never induce vomiting or give dilutents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health

professional.

Medical Conditions Generally Aggravated

**By Exposure:** Pre-existing skin, respiratory system or eye problems may be

aggravated by prolonged contact.

**4.2 Symptoms and Effects Both Acute and Delayed:** Exposure to the eyes may cause irritation.

4.3 Recommendations to Physicians: Treat symptoms and eliminate overexposure.

### **SECTION 5 - FIRE FIGHTING MEASURES**

## 5.1 Fire Extinguishing Materials:

Use the following fire extinguishing materials: Water Spray: Yes

Foam: Yes Halon: Yes

Carbon Dioxide: Yes Dry Chemical: Yes Other: Any "C" Class

# #10/35 Anchoring Epoxy - Part A

Version 1 pg. 4


### 5.2 Unusual Fire and Explosion Hazards:

Irritating and toxic fumes may be produced at high temperatures. Use of water may result if the formation of a toxic aqueous solution. Do not allow run-off from fire fighting to enter drains or water courses.

Explosive Sensitivity to Mechanical Impact: No Explosive Sensitivity to Static Discharge: No

### 5.3 Special Fire-Fighting Procedures:

- Incipient fire responders should wear eye protection.
- Structural firefighters must wear Self-Contained Breathing
- Apparatus (SCBA) and full protective equipment.
- Isolate materials not yet involved in the fire and protect personnel.
- Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray.
- If possible, prevent run-off water from entering storm drains, bodies of water, or other environmentally sensitive areas.



### SECTION 6 – ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)

### **6.1 Personal Precautions, Protective Equipment and Emergency Procedures:**

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.

### **6.2 Environmental Precautions:**

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

### 6.3 Spill and Leak Response:

# #10/35 Anchoring Epoxy - Part A

Version 1 pg. 5

### **Small Spills:**

- Collect material via broom or mop. Place in tightly sealed containers for proper disposal.
- Approach spill areas with caution.
- If liquid was introduced, create a dike or trench to contain material.
- Soak up with absorbent material such as clay, sand or other suitable non-reactive material.

## Large Spills:

- Place in leak-proof containers. Seal tightly for proper disposal.
- Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

### **SECTION 7 - HANDLING AND STORAGE**

#### 7.1 Precautions for Safe Handling:

To prevent eye contact under the foreseeable conditions of use, wear appropriate safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling. Do not handle or store near heat, sparks, or flame.

## 7.2 Storage and Handling Practices:

Keep away from incompatible materials. Keep container closed when not in use and store in well ventilated area.

### 7.3 Specific Uses:

Epoxy.

### **SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION**

### 8.1 Exposure Parameters:

Ingredients	CAS No.	OSHA PEL	NIOSH PEL
Bisphenol A Diglycidyl Ether Resin	25068-38-6	Not Listed	Not Listed
Calcium Carbonate	1317-65-3	TWA 5 mg/m3 (resp) TWA 15 mg/m3 (total)	Not ListedTWA 5 mg/m3 (resp) TWA 10 mg/m3 (total)

### **8.2 Exposure Controls:**

**Ventilation and Engineering Controls:** 

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132), or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

**Respiratory Protection:** 

Not required for properly ventilated areas. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection

**Hand Protection:** 

**Body Protection:** 

# #10/35 Anchoring Epoxy - Part A

Version 1 pg. 6

> authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR) 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member

states.

**Eye Protection:** Safety glasses or goggles are required.

If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards. Chemical resistant gloves are required to

prevent skin contact.

If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards. Use body protect appropriate to task being

performed.

If necessary, refer to appropriate Standards of Canada, or appropriate standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in

U.S. OSHA 29 CFR 1910.136.

### SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on Basic Physical and Chemical Properties: Appearance (Physical State and Color): White gelled liquid

**Odor:** Characteristic Odor

Odor Threshold: No data available

pH: No data available

Melting/Freezing Point: No data available

**Boiling Point:** 300°F (149.89°C) Flash Point: 200°F (93°C)

Evaporation Rate: No data available Flammability (Solid; Gas): Not applicable

Upper/Lower Flammability or Explosion Limits: No data available

Vapor Pressure (mm Hg @ 20°C (68° F): 11 mm Hg 100° F

Vapor Density: Heavier than air Relative Density: No data available

Specific Gravity: >1.2

Solubility in Water: Not miscible

# #10/35 Anchoring Epoxy - Part A

Version 1 pg. 7

Weight per Gallon: No data available

Partition Coefficient (n-octanol/water): No data available

**Auto-Ignition Temperature:** No data available **Decomposition Temperature:** No data available

Viscosity: No data available

9.2 Other Information: No data available

### SECTION 10 - STABILITY AND REACTIVITY

**10.1 Reactivity:** This product is not reactive.

**10.2 Stability:** Stable under conditions of normal storage and use.

10.3 Possibility of Hazardous Reactions: Will not occur.

**10.4 Conditions to Avoid:** Heat, open flame or other sources of ignition.

**10.5 Incompatible Substances:** Strong oxidizing agents.

10.6 Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide and other decomposition

products can occur during combustion if not use according to specifications.

#### SECTION 11 – TOXICOLOGY INFORMATION

#### 11.1 Information on Toxicological Effects:

**Toxicity Data:** 

Bisphenol A Diglycidyl Ether Resin	25068-38-6	LD50 Oral – Rat	13,600 mg/kg
---------------------------------------	------------	-----------------	--------------

Suspected Cancer Agent: Ingredients within this product are not found on one or more of

the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are not considered to be cancer-

causing agents by these agencies.

**Irritancy:** Skin, eye irritant.

**Sensitization to the Product:** This product is not expected to cause skin sensitization. This product does not contain ingredients that are suspected

to be a germ cell mutagenic.

**Reproductive Toxicity:** No data available.

#### **SECTION 12 – ECOLOGICAL INFORMATION**

#### 12.1 Toxicity:

Bisphenol A Diglycidyl	25068-38-6	LC50 – Rainbow Trout	<10 mg/l – 96h
Ether Resin	25006-56-0	EC50 – Algae	<10 mg/l – 96h

12.2 Persistence and Degradability: No specific data available on this product.
 12.3 Bioaccumulative Potential: No specific data available on this product.
 12.4 Mobility in Soil: No specific data available on this product.
 12.5 Results of PBT and vPvB Assessment: No specific data available on this product.

**12.6 Other Adverse Effects:** No data available

**12.7 Water Endangerment Class:** At present, there are no ecotoxicological assessments

for this product.

# #10/35 Anchoring Epoxy - Part A

Version 1 pg. 8

### **SECTION 13 – DISPOSAL CONSIDERATIONS**

13.1 Waste Treatment Methods: Waste disposal must be in accordance with

appropriate U.S. Federal, State, and local regulations, those of Australia, EU Member

States and Japan.

13.2 EU Waste Code: Not determined

#### **SECTION 14 - TRANSPORTATION INFORMATION**

## 14.1 U.S. Department of Transportation (DOT) Shipping Regulations:

This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

UN Identification Number: Not Regulated

Proper Shipping Name:
Hazard Class Number and Description:
None
Packing Group:
None
DOT Label(s) Required:
None

**North American Emergency Response** 

Guidebook Number: None

14.2 Environmental Hazards:

Marine Pollutant:

The components of this product are designated by the

Department of Transportation to be Marine Pollutants

This product is considered as dangerous goods.

(49 CFR 172.101, Appendix B).

14.3 Special Precaution for User:

14.4 International Air Transport Association

Shipping Information (IATA):

14.5 International Maritime Organization

**Shipping Information (IMO):** 

UN Identification Number: Not regulated

Proper Shipping Name:
Hazard Class Number and Description:
None
Packing Group:
None
EMS-No:
None

#### SECTION 15 - REGULATORY INFORMATION

# 15.1 Safety, Health and Environmental Regulations Specific for the Substance or Mixture:

<u>United States Regulations:</u>

## **U.S. SARA Reporting Requirements:**

The components of this product are subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

# #10/35 Anchoring Epoxy - Part A

Version 1 pg. 9

#### U.S. SARA 311/312:

Acute Health: Yes; Chronic Health: No; Fire: No; Reactivity; No

### **U.S. CERCLA Reportable Quantity:**

Not Applicable

### **U.S. TSCA Inventory Status:**

The components of this product are listed on the TSCA Inventory or are exempted from listing.

## Other U.S. Federal Regulations:

None known

### California Safe Drinking Water and Toxic Enforcement Act (Proposition 66):

This product does not contain ingredients on the Proposition 65 Lists.

### 15.2 Canadian Regulations:

## **Canadian DSL/NDSL Inventory Status:**

Components are DSL Listed, NDSL Listed and/or are exempt from listing

## Other Canadian Regulations:

Not applicable

## Canadian Environmental Protection Act (CEPA) Priorities Substances Lists:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

## **Canadian WHMIS Classification and Symbols:**

This product is Class D2A, Very Toxic Material, per WHMIS Controlled Product Regulations.



### 15.3 European Economic Community Information:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives. See Section 2 for Details.

### **Chemical Safety Assessment:**

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

### **15.4 Australian Information for Product:**

Components of this product are listed on the International Chemical Inventory list.

## 15.5 Japanese Information for Product:

Japanese Minister of International Trade and Industry (MITI) Status: The components of this product are not listed as Class I specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

### **15.6 International Chemical Inventories:**

Listing of the components on individual country Chemical Inventories is as follows:

Australian Inventory of Chemical Substances (AICS): Listed

Korean Existing Chemicals List (ECL): Listed

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed Philippines Inventory if Chemicals and Chemical Substances (PICCS): Listed

U.S. TSCA: Listed

### **SECTION 16 – OTHER INFORMATION**

# #10/35 Anchoring Epoxy - Part A

Version 1 pg. 10

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. CPR Products assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, CPR Products assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

**END OF SDS SHEET** 

# #10/35 Anchoring Epoxy - Part B

Version 1 pg. 1

#### **SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION**

**1.1 Trade Name (as labeled):** #10/35 Anchoring Epoxy - Part B

Synonyms: N/A CAS No: Mixture

1.2 Product Use:Epoxy bonding adhesive1.3 Company Name:CPR Products, Inc.

Company Address: 1315 W. Lark Industrial Dr. St. Louis, MO 63026
Business Phone: St. Louis, MO 63026
(636) 717-0666

Website: www.cpr-products.com

1.4 Emergency Telephone Number: Infotrac: (800) 535-5053

Date of Last Revision: April 30, 2015
Date of Current Revision: July 1, 2018

### **SECTION 2 – HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW:** This product is a black gelled liquid with a characteristic odor. <u>Health Hazards:</u> May cause skin, eye and respiratory system irritation. Inhalation may cause drowsiness or dizziness. Contact with skin may cause allergic reaction.

Flammability Hazards: This product is a non-flammable liquid.

Reactivity Hazards: None.

<u>Environmental Hazards:</u> The environmental effects of this product have not been investigated, however release may cause long term adverse environmental effects.

**US DOT Symbols:** 

**EU and GHS Symbols:** 

Signal Word: Danger



### 2.1 EU Labeling and Classification:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

# **EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC:** Index Number:

203-865-4 is listed in Annex I 612-058-00-X

205-411-0 is listed in Annex I 612-105-00-4

203-867-5 is listed in Annex I 603-194-00-0

202-679-0 is listed in Annex I 304-090-00-8

284-325-5 is listed in Annex I 601-053-00-8

# #10/35 Anchoring Epoxy - Part B

Version 1 pg. 2

202-013-9 is listed in Annex I 603-069-00-0

275-162-0 is not listed in Annex I 215-279-6 is not listed in Annex I

Substances not listed either individually or in group entries must be self classified.

Components Contributing to Classification: All Ingredients

2.2 Label Elements:

**Response Statements:** 

GHS Hazard Classifications: Skin Sensitization Category 1

Skin Corrosive Category 1B
Acute Toxicity Category 4 (Oral)
Acute Toxicity Category 4 (Dermal)
Reproductive Toxicity Category 1B
Chronic Aquatic Toxicity Category 2

Hazard Statements: H314 Causes severe skin burns and eye

damage

H317 May cause an allergic skin reaction

H302 Harmful if swallowed H312 Harmful in contact with skin

H361 Suspected of damaging fertility or the

unborn child

H411 Very toxic to aquatic life with long lasting

effects

**Precautionary Statements:** P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions

have been read and understood. P260 Do not breathe dusts or mists.

P272 Contaminated work clothing should not be

allowed out of the workplace. P280 Wear protective gloves/eye protection/face protection.

P264 Wash thoroughly after handling.

P261 Avoid breathing

dust/fume/gas/mist/vapours/spray.

H270 Do not eat, drink or smoke when using

this product.

P273 Avoid release to the environment. P301+P330+P331 IF SWALLOWED: Rinse

mouth. Do NOT induce vomiting

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P302+P352 IF ON SKIN: Wash with plenty of

water.

P321 Specific treatment (see supplemental first

aid instructions on this label).

# #10/35 Anchoring Epoxy - Part B

Version 1 pg. 3

P332+P313 If skin irritation occurs: Get medical

advice/attention.

P363 Wash contaminated clothing before

reuse

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P330 Rinse mouth.

P308+P313 IF exposed or concerned: Get

medical advice/attention.

P310 Immediately call a POISON CENTER/doctor if you feel unwell.

P391 Collect spillage.

**Storage Statements:** P405 Store locked up. **Disposal Statements:** P501 Dispose of conte

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

## 2.3 Health Hazards or Risks From Exposure:

## Symptoms of Overexposure by Route of Exposure:

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

The most significant routes of overexposure for this product are by contact with skin or eyes. The symptoms of overexposure are described in the following paragraphs.

#### Acute:

Inhalation: May cause respiratory tract irritation. May cause headaches, drowsiness, or dizziness. Skin Contact: A single prolonged exposure may result in the absorption of harmful amounts. May cause burns or redness. Contact with skin may cause allergic reaction.

Eye Contact: Corrosive material may cause irritation with possible burns and tissue damage.

Ingestion: Harmful if swallowed. May cause nausea and diarrhea. **Chronic:** Repeated exposure may cause skin dryness or cracking.

Target Organs: Acute: Skin, Eyes Chronic: Skin.

# Chronic: Skin.

Hazardous Ingredients	WT%	CAS No.	EINECS No.	Hazard Classification
Calcium Carbonate	50-60%	1317-65-3	215-279-6	Skin Irrit. 3, Eye Irrit. 2B
4-Nonylphenol	10-15%	84852-15-3	284-325-5	Acute Tox. 4 (oral), Skin Corr, 1B, Reproductive Tox.2, Aquatic Acute1, Aquatic Chron.1
4-tert-butylphenol	10-15%	98-54-4	202-679-0	Skin Irrit. 2, Eye Dam. 1, Repr. 2
2,2'-iminodiethylamine diethylenetriamine	3-5%	111-40-0	203-865-4	Acute Tox. 4 (Oral), Acute Tox. 4 (Dermal), Ski Corr. 1B, Skin Sens. 1
2-piperazin-1-ylethylamine	3-5%	140-31-8	205-411-0	Acute Tox. 4 (Oral), Acute Tox. 4 (Dermal), Ski Corr. 1B, Skin Sens. 1, Aquatic Chronic 3
2-(2-aminoethylamino)ethanol (AEEA)	3-5%	111-41-1	203-867-5	Skin Corr. 1B, Skin Sens. 1, Repr. 1B
Bis[(dimethylamino)methyl]phenol	1-3%	71074-89-0	275-162-0	Skin Corr, 1B
2,4,6-tris(dimethylaminomethyl)phenol	1-3%	90-72-2	202-013-9	Acute Tox. 4(Oral), Skin Irrit.2, Eye Irrit.2

Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respir sensitizers).

# #10/35 Anchoring Epoxy - Part B

Version 1 pg. 4

**Note:** All WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250:2000

#### SECTION 4 - FIRST AID MEASURES

### **4.1 Description of First Aid Measures:**

**Eye Contact:** If product enters the eyes, flush with plenty of water or eye wash

solution for several minutes. Remove contacts if present and easy to

do. Seek medical attention if irritation persists.

**Skin Contact:** Wash skin thoroughly with soap and water after handling. Seek medical

attention if irritation develops and persists.

**Inhalation:** If breathing becomes difficult, remove victim to fresh air. If necessary,

use artificial respiration to support vital functions. Seek medical

attention.

**Ingestion:** If product is swallowed, call physician or poison center immediately. If

professional advice is not available, do not induce vomiting. Never induce vomiting or give dilutents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health

professional.

Medical Conditions Generally Aggravated

By Exposure: Pre-existing skin, respiratory system or eye problems may be

aggravated by prolonged contact.

4.2 Symptoms and Effects Both Acute and Delayed: Exposure to skin and eyes may cause burns

or redness.

**4.3 Recommendations to Physicians:** Treat symptoms and eliminate overexposure.

### **SECTION 5 - FIRE FIGHTING MEASURES**

### **5.1 Fire Extinguishing Materials:**

Use the following fire extinguishing materials: Water Spray: Yes

Foam: Yes Halon: Yes

Carbon Dioxide: Yes Dry Chemical: Yes Other: Any "C" Class

## 5.2 Unusual Fire and Explosion Hazards:

Irritating and toxic fumes may be produced at high temperatures. Use of water may result if the formation of a toxic aqueous solution. Do not allow run-off from fire fighting to enter drains or water courses.


# #10/35 Anchoring Epoxy - Part B

Version 1 pg. 5

Explosive Sensitivity to Mechanical Impact: No Explosive Sensitivity to Static Discharge: No

### **5.3 Special Fire-Fighting Procedures:**

- Incipient fire responders should wear eye protection.
- Structural firefighters must wear Self-Contained Breathing
- Apparatus (SCBA) and full protective equipment.
- Isolate materials not yet involved in the fire and protect personnel.
- Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray.
- If possible, prevent run-off water from entering storm drains, bodies of water, or other environmentally sensitive areas.



### SECTION 6 - ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)

## 6.1 Personal Precautions, Protective Equipment and Emergency Procedures:

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.

### **6.2 Environmental Precautions:**

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

### 6.3 Spill and Leak Response:

### **Small Spills:**

- Collect material via broom or mop. Place in tightly sealed containers for proper disposal.
- Approach spill areas with caution.

# #10/35 Anchoring Epoxy - Part B

Version 1 pg. 6

- If liquid was introduced, create a dike or trench to contain material.
- Soak up with absorbent material such as clay, sand or other suitable non-reactive material.

### Large Spills:

- Place in leak-proof containers. Seal tightly for proper disposal.
- Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

### **SECTION 7 - HANDLING AND STORAGE**

### 7.1 Precautions for Safe Handling:

To prevent eye contact under the foreseeable conditions of use, wear appropriate safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling. Do not handle or store near heat, sparks, or flame.

## 7.2 Storage and Handling Practices:

Keep away from incompatible materials. Keep container closed when not in use and store in well ventilated area.

### 7.3 Specific Uses:

Epoxy bonding gel.

#### SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

## 8.1 Exposure Parameters:

Ingredients	CAS No.	OSHA PEL	NIOSH PEL
Calcium Carbonate	1317-65-3	TWA 5 mg/m3 (resp) TWA 15 mg/m3 (total)	TWA 5 mg/m3 (resp) TWA 10 mg/m3 (total)
4-Nonylphenol	84852-15-3	Not Listed	Not Listed
4-tert-butylphenol	98-54-4	Not Listed	Not Listed
2,2'-iminodiethylamine diethylenetriamine	140-31-8	Not Listed	Not Listed
2-(2-aminoethylamino)ethanol (AEEA)	111-41-1	Not Listed	Not Listed
Bis[(dimethylamino)methyl]phenol	71074-89-0	Not Listed	Not Listed
2,4,6-tris(dimethylaminomethyl)phenol	90-72-2	Not Listed	Not Listed

### **8.2 Exposure Controls:**

**Ventilation and Engineering Controls:** 

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132), or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

# #10/35 Anchoring Epoxy - Part B

Version 1 pg. 7

**Respiratory Protection:** Not required for properly ventilated areas.

Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member

states.

**Eye Protection:** Safety glasses or goggles are required.

If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards. Chemical resistant gloves are required to

prevent skin contact.

If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards. Use body protect appropriate to task being

performed.

If necessary, refer to appropriate Standards of Canada, or appropriate standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in

U.S. OSHA 29 CFR 1910.136.

## **SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1 Information on Basic Physical and Chemical Properties:

Appearance (Physical State and Color): White gelled liquid

**Odor:** Characteristic

**Hand Protection:** 

**Body Protection:** 

Odor Threshold: No data available

**pH:** No data available

Melting/Freezing Point: No data available

Boiling Point: 300°F (148.9°C) Flash Point: 200°F (93°C)

Evaporation Rate: No data available Flammability (Solid; Gas): Not applicable

Upper/Lower Flammability or Explosion Limits: No data available

# #10/35 Anchoring Epoxy - Part B

Version 1 pg. 8

Vapor Pressure (mm Hg @ 20°C (68° F): 11mm Hg 100° F

Vapor Density: No data available Relative Density: No data available

Specific Gravity: 1.2

Solubility in Water: Not miscible Weight per Gallon: No data available

Partition Coefficient (n-octanol/water): No data available

**Auto-Ignition Temperature:** No data available **Decomposition Temperature:** No data available

Viscosity: No data available

9.2 Other Information: No data available

#### SECTION 10 - STABILITY AND REACTIVITY

**10.1 Reactivity:** This product is not reactive.

**10.2 Stability:** Stable under conditions of normal storage and use.

10.3 Possibility of Hazardous Reactions: Will not occur.

**10.4 Conditions to Avoid:** Heat, open flame or other sources of ignition.

**10.5 Incompatible Substances:** Strong oxidizing agents.

10.6 Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide and other decomposition

products can occur during combustion if not use according to specifications.

### **SECTION 11 – TOXICOLOGY INFORMATION**

## 11.1 Information on Toxicological Effects:

**Toxicity Data:** 

TOXIOITY BUTUI			
4-Nonylphenol	84852-15-3	LD50 Oral-Rat	1,412 mg/kg
4-tert-butylphenol	98-54-4	LD50 Oral-Rat	> 2,000 mg/kg
2,2'-iminodiethylamine	111-40-0	LD50 Oral-Rat	0.3 mg/l- 4h
diethylenetriamine	111-40-0	LD50 Dermal-Rabbit	1,090 mg/kg
2 ninerazin 1 ylethylemine	140-31-8	LD50 Oral-Rat	2,097 mg/l- 4h
2-piperazin-1-ylethylamine	140-31-6	LD50 Dermal-Rabbit	866 mg/kg

Suspected Cancer Agent: Ingredients within this product are not found on one or more of

the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are considered to be cancer-causing

agents by these agencies.

Irritancy: Skin, eye and respiratory irritant.

**Sensitization to the Product:** This product is not expected to cause skin sensitization. **Germ Cell Mutagenicity:** This product does not contain ingredients that are suspected

to be a germ cell mutagenic.

**Reproductive Toxicity:** This product is expected to be a human reproductive toxicant.

### **SECTION 12 - ECOLOGICAL INFORMATION**

### 12.1 Toxicity:

# #10/35 Anchoring Epoxy - Part B

Version 1 pg. 9

4 Nonvinhonol	84852-15-3	LC50 – Lepomis macrochirus	0.209 mg/l -96h
4-Nonylphenol	04002-10-3	EC50 – Algae	0.33 mg/l – 72h
4 tort but debagol	98-54-4	LC50 – Fathead Minnow	5.14 mg/l - 96h
4-tert-butylphenol		EC50 – Water flea	4.8 mg/l – 72h
2,2'-iminodiethylamine	111-40-0	LC50 - Guppy	1,014 mg/l- 96h
diethylenetriamine	111-40-0	LC30 – Guppy	1,014 mg/l- 90n

12.2 Persistence and Degradability: No specific data available on this product.
 12.3 Bioaccumulative Potential: No specific data available on this product.
 12.4 Mobility in Soil: No specific data available on this product.
 12.5 Results of PBT and vPvB Assessment: No specific data available on this product.

**12.6 Other Adverse Effects:** No data available

**12.7 Water Endangerment Class:** At present, there are no ecotoxicological assessments

for this product.

### **SECTION 13 - DISPOSAL CONSIDERATIONS**

**13.1 Waste Treatment Methods:** Waste disposal must be in accordance with

appropriate U.S. Federal, State, and local regulations, those of Australia, EU Member

States and Japan.

13.2 EU Waste Code: Not determined

### **SECTION 14 - TRANSPORTATION INFORMATION**

### 14.1 U.S. Department of Transportation (DOT) Shipping Regulations:

This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

UN Identification Number: UN2735

**Proper Shipping Name:**Amines Liquid Corrosive NOS (N-Aminoethylpiperazine)

Hazard Class Number and Description: Class 8 – Corrosive substances

Packing Group:

DOT Label(s) Required: Corrosive substances

**North American Emergency Response** 

Guidebook Number: 153

14.2 Environmental Hazards:

**Marine Pollutant:** The components of this product are designated by the

None

Department of Transportation to be Marine Pollutants

(49 CFR 172.101, Appendix B).

14.3 Special Precaution for User:

14.4 International Air Transport Association

**Shipping Information (IATA):** This product is considered as dangerous goods.

# #10/35 Anchoring Epoxy - Part B

Version 1 pg. 10

14.5 International Maritime Organization

Shipping Information (IMO):
UN Identification Number:

Proper Shipping Name: Amines Liquid Corrosive NOS

(N-Aminoethylpiperazine)

UN2735

Hazard Class Number and Description: Class 8 – Corrosive substances

Packing Group: III F-A-S-B

### **SECTION 15 - REGULATORY INFORMATION**

### 15.1 Safety, Health and Environmental Regulations Specific for the Substance or Mixture:

United States Regulations:

### **U.S. SARA Reporting Requirements:**

The components of this product are not subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

### U.S. SARA 311/312:

Acute Health: Yes; Chronic Health: Yes; Fire: No; Reactivity; No

## **U.S. CERCLA Reportable Quantity:**

Not Applicable

#### **U.S. TSCA Inventory Status:**

The components of this product are listed on the TSCA Inventory or are exempted from listing.

## Other U.S. Federal Regulations:

None known

## California Safe Drinking Water and Toxic Enforcement Act (Proposition 66):

This product does not contain ingredients on the Proposition 65 Lists.

### 15.2 Canadian Regulations:

### Canadian DSL/NDSL Inventory Status:

Components are DSL Listed, NDSL Listed and/or are exempt from listing

#### **Other Canadian Regulations:**

Not applicable

### Canadian Environmental Protection Act (CEPA) Priorities Substances Lists:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

### Canadian WHMIS Classification and Symbols:

This product is Class D2A, Very Toxic Material, per WHMIS Controlled Product Regulations.



#### 15.3 European Economic Community Information:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives. See Section 2 for Details.

## **Chemical Safety Assessment:**

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

### **15.4 Australian Information for Product:**

Components of this product are listed on the International Chemical Inventory list.

### 15.5 Japanese Information for Product:

# #10/35 Anchoring Epoxy - Part B

Version 1 pg. 11

Japanese Minister of International Trade and Industry (MITI) Status: The components of this product are not listed as Class I specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

## **15.6 International Chemical Inventories:**

Listing of the components on individual country Chemical Inventories is as follows:

Australian Inventory of Chemical Substances (AICS): Listed

Korean Existing Chemicals List (ECL): Listed

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed Philippines Inventory if Chemicals and Chemical Substances (PICCS): Listed

U.S. TSCA: Listed

#### **SECTION 16 – OTHER INFORMATION**

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. CPR Products assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, CPR Products assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

**END OF SDS SHEET**